

## National Digital Newspaper Program

### 2013 Digital Asset Metadata Elements - Dictionary

**NOTES:**

- Metadata elements below are described by original object. Elements may appear in more than one digital object per NDNP specifications.

Data Description	Data Type	Example	Notes	Repeatable R= repeatable NR = non-repeatable	Mandatory M=mandatory MA=mandatory, if available O=optional	Xpath (see XML templates) and/or Data location
<b>General Information</b>						
Awardee Name	string	New York Public Library	name of institution that received the NEH award	NR	M	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/metsHdr/mets:agent/mets:name
Award Year	enumeration	2013	Year of NEH award under which the digitization of this content was funded.	NR	M	Xml:xml[@TYPE="urn:library-of-congress:ndnp:batch"]/batchHdr/batch:agent/batch:awardYear
Original Source Repository	string	Multiple examples:  Library of Congress; Washington, DC  or  New York Public	Owner of original source that was digitized (micro-film or paper) ; city and state postal abbreviation	NR	M	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="pageModsBib1"]/mets:mdWrap/mets:xmlData/mods:mods/mods:relatedItem[@type="original"]/mods:location/mods:physicalLocation/@displayLabel  mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]

		Library; New York, NY				/mets:dmdSec[@ID="targetModsBib1"]/mets:mdWrap/mets:xmlData/mods:mods/mods:relatedItem/mods:location/mods:physicalLocation/@displayLabel
Original Source Repository Code	enumeration	dlc	Normalized MARC organization code of owner of source. See <a href="http://www.loc.gov/marc/organizations/org-search.php">http://www.loc.gov/marc/organizations/org-search.php</a> for more information and code list.	NR	MA	<p>mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="pageModsBib1"]/mets:mdWrap/mets:xmlData/mods:mods/mods:relatedItem[@type="original"]/mods:location/mods:physicalLocation</p> <p>mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:dmdSec[@ID="targetModsBib1"]/mets:mdWrap/mets:xmlData/mods:mods/mods:relatedItem/mods:location/mods:physicalLocation</p>
Digital Responsible Institution	string	<p>Multiple examples:</p> <p>Library of Congress; Washington, DC</p> <p>or</p> <p>Library of Virginia; Richmond, VA</p>	Awardee institution; city and state postal abbreviation	NR	M	<p>mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="pageModsBib1"]/mets:mdWrap/mets:xmlData/mods:mods/mods:note[@type="agencyResponsibleForReproduction"]/@displayLabel</p> <p>mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:dmdSec[@ID="techTargetModsBib1"]/mets:mdWrap/mets:xmlData/mods:mods/mods:note/@displayLa</p>

						<p>bel  mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:dmdSec[@ID="targetModsBib1"]/mets:mdWrap/mets:xmlData/mods:mods/mods:note/@displayLabel</p> <p>TIFF: ImageProducer</p> <p>PDF: rdf:Description/dc:description/rdf:Alt/rdf:li  JPEG2000: rdf:Description/dc:description/rdf:Alt/rdf:li</p>
Digital Responsible Institution Code	enumeration	Multiple examples: dlc oru vi	Normalized MARC organization code of Awardee. See <a href="http://www.loc.gov/marc/organizations/org-search.php">http://www.loc.gov/marc/organizations/org-search.php</a> .	NR	MA	<p>mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="pageModsBib1"]/mets:mdWrap/mets:xmlData/mods:mods/mods:note[@type="agencyResponsibleForReproduction"]</p> <p>mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:dmdSec[@ID="techTargetModsBib"]/mets:mdWrap/mets:xmlData/mods:mods/mods:note</p> <p>mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:dmdSec[@ID="targetModsBib1"]/mets:mdWrap/mets:xmlData/mods:mods/mods:note</p> <p>Xml:xml[@TYPE="urn:library-of-</p>

						congress:ndnp:batch”]/batchHdr/batch:agent/batch:awardee
Batch name <i>Sample</i>	String	batch_dlc_2012sample	For initial sample batch, use this naming structure:  batch_[MARC organization code*]_[year of award]sample	NR	M	Xml:xml[@TYPE=“urn:library-of-congress:ndnp:batch”]/batchHdr/batch:agent/batch:name
Batch name <i>Production</i>	String	batch_dlc_alpha	For production batches, use this naming structure: batch_[MARC organization code*]_[keyword**].  *For MARC Organization code, see <a href="http://www.loc.gov/marc/organizations/org-search.php">http://www.loc.gov/marc/organizations/org-search.php</a> .  ** Batch keywords are unique within the deliveries of a given awardee throughout their program participation. Keywords (in alpha order for a given grant period) are selected by awardees.			

			NOTE: all batch names must be lower-cased only. Only 2 underscores (batch_[orgcode]_[keyword]) are permitted per batch name (e.g., batch_dlc_thomasjefferson)			
<b>Title Information</b>						
LCCN	string	sn83031150 or 2007123234	Use canonical (normalized) form of LCCN for associated title bibliographic description. See <a href="http://www.loc.gov/marc/lccn-namespace.html">http://www.loc.gov/marc/lccn-namespace.html</a>	NR	M	<p>mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="issueMod sBib"]/mets:mdWrap/mets:xmlData/mods:mods/mods:relatedItem/mods:identifier/@type</p> <p>Xml:xml[@TYPE="urn:library-of-congress:ndnp:batch"]/newspapertitle:lccn</p> <p>Xml:xml[@TYPE="urn:library-of-congress:ndnp:batch"]/issue:lccn</p> <p>PDF: rdf:Description/dc:description/rdf:Alt/rdf:li</p> <p>JPEG2000: rdf:Description</p> <p>JPEG2000: rdf:Description/dc:description/ rdf:Alt/rdf:li</p>
Title	string	National forum	Combine MARC 245\$a	NR	M	PDF: rdf:Description/dc:title/

		Washington Evening Times (Washington, D.C.)	and 260\$a or MARC 130\$a (Use of the MARC 130 field is permitted only if the field is present and well-formed.)			rdf:Alt/rdf:li  PDF: rdf:Description/dc:description/ rdf:Alt/rdf:li  JPEG2000: rdf:Description/ dc:title/ rdf:Alt/rdf:li  JPEG2000: rdf:Description/ dc:description/ rdf:Alt/rdf:li  mets:mets[@TYPE="urn:library-of- congress:ndnp:mets:newspaper:iss ue"]@LABEL
Publication Location	string	Washington, D.C. or Chicago, Ill.	MARC 260\$a	NR	M	PDF: rdf:Description/dc:title/ rdf:Alt/rdf:li  PDF: rdf:Description/dc:description/ rdf:Alt/rdf:li  JPEG2000: rdf:Description/ dc:title/ rdf:Alt/rdf:li
Volume Number	string	27	Following SICI standard: (1.) All numeric information shall be converted to arabic numbers. (2) Alphabetic data used as enumeration designations shall be transcribed as they appear on the piece, and converted to uppercase.	NR	O	mets:mets[@TYPE="urn:library-of- congress:ndnp:mets:newspaper:iss ue"]/mets:dmdSec[@ID="issueMod sBib"]/mets:mdWrap/mets:xmlData/ mods:mods/mods:relatedItem/mods :part/mods:detail[@type="volume"]/ mods:number

Edition Order	positive integer	Multiple examples: 1 2 3	Default is 1. If more than one edition on this date, number in chronological order.	NR	M	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="issueMod sBib"]/mets:mdWrap/mets:xmlData/mods:mods/mods:relatedItem/mods:part/mods:detail[@type="edition"]/mods:number  Xml:xml[@TYPE="urn:library-of-congress:ndnp:batch"]/issue:edition Order  JPEG2000: rdf:Description
Edition Label	string	Multiple examples: Late City Final  Two Stars (Final Edition)  Extra	If present, record as printed. (If not present, do not generate.)  If symbol is used to indicate edition label (e.g., two stars), describe the visual symbols and the meaning of those symbols in parentheses (i.e. if 2 stars are used to represent Final Edition, then Field value should be "Two Stars (Final Edition)".)	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="issueMod sBib"]/mets:mdWrap/mets:xmlData/mods:mods/mods:relatedItem/mods:part/mods:detail[@type="edition"]/mods:caption  mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]@LABEL
Issue Number	string	3	Following SICI standard: (1.) All numeric information shall be converted to arabic numbers. (2)	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="issueMod sBib"]/mets:xmlData/mods:mods/mods:relatedItem/mods:part/mods:detail

			Alphabetic data used as enumeration designations shall be transcribed as they appear on the piece, and converted to uppercase.			il[@type="issue"]/mods:number
Issue Date	date	1908-03-21	Actual date issued, corrected if necessary. Use this particular ISO 8601 style: YYYY-MM-DD.	NR	M	<p>mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="issueMod sBib"]/mets:mdWrap/mets:xmlData/mods:mods/mods:originInfo/mods:dateIssued</p> <p>Xml:xml[@TYPE="urn:library-of-congress:ndnp:batch"]/issue:issueDate</p> <p>PDF: rdf:Description/dc:title/rdf:Alt/rdf:li</p> <p>PDF: rdf:Description/dc:description/rdf:Alt/rdf:li</p> <p>JPEG2000: rdf:Description</p> <p>JPEG2000: rdf:Description/dc:title/rdf:Alt/rdf:li</p> <p>JPEG2000: rdf:Description/dc:date/rdf:Seq/rdf:li</p> <p>mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:iss</p>



						ue"]@LABEL
Issue Present Indicator	string	Not digitized, published	Valid values are: Present;  Not digitized, published;  Not digitized, not published;  Not digitized, publishing unknown.  Note: "Present" means Published and digitized).	NR	M	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="issueMod sBib"]/mets:mdWrap/mets:xmlData/mods:mods/mods:note
Issue Present Comment	string	No issue published due to weather.	To record any additional known information indicated in film on missing issues.	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="issueMod sBib"]/mets:mdWrap/mets:xmlData/mods:mods/mods:note/@displayLabel
Issue Date As Labeled	date	1908-03-21	If date printed was in error (not the date issued), this field reflects the incorrect date as printed. Include this field only if date printed was in error. Use this particular ISO 8601 style: YYYY-MM-DD.	R	MA	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="issueMod sBib"]/mets:mdWrap/mets:xmlData/mods:mods/mods:originInfo/mods:dateIssued[@qualifier="questionable"]

### Page Information

Section Label	string	B	If present, record as	NR	O	mets:mets[@TYPE="urn:library-of-
---------------	--------	---	-----------------------	----	---	----------------------------------

			printed, to reflect logical Section navigation. (If not present, do not generate.) Could be blank, “C,” “IV,” “3,” “Business,” etc. If more than one Section heading per page, record dominant heading or combine headings (limit to approx. 6 words).			congress:ndnp:mets:newspaper:issue”]/mets:dmdSec[@ID=“sectionModsBib1”]/mets:mdWrap/mets:xmlData/mods:mods/mods:part/mods:detail[@type=“section label”]/mods:number
Page Sequence Number	positive integer	13	This orders the pages within an issue, regardless of printed page number. See Page Number field below. This field is particularly useful for multi-section titles.	NR	M	mets:mets[@TYPE=“urn:library-of-congress:ndnp:mets:newspaper:issue”]/mets:dmdSec[@ID=“pageModsBib1”]/mets:mdWrap/mets:xmlData/mods:mods/mods:part/mods:extent[@unit=“pages”]/mods:start  JPEG2000: rdf:Description
Page Number	string	B3	Exactly as printed. If not printed, element should be omitted. If not used, element should be omitted.	NR	O	mets:mets[@TYPE=“urn:library-of-congress:ndnp:mets:newspaper:issue”]/mets:dmdSec[@ID=“pageModsBib1”]/mets:mdWrap/mets:xmlData/mods:mods/mods:part/mods:detail[@type=“page number”]/mods:number  PDF: rdf:Description/dc:title/ rdf:Alt/rdf:li  JPEG2000: rdf:Description/dc:title/ rdf:Alt/rdf:li

Page Physical Description	string	microfilm	Valid values: microfilm, microfiche, print.	NR	M	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="pageModsBib1"]/mets:mdWrap/mets:xmlData/mods:mods/mods:relatedItem[@type="original"]/mods:physicalDescription/mods:form  TIFF: FileSource
Page Present Indicator	string	Present	Valid values are: Present;  Not digitized, published  Not digitized, not published; Not digitized, publishing unknown.  Note: "Present" means Published and digitized.	NR	M	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="pageModsBib1"]/mets:mdWrap/mets:xmlData/mods:mods/mods:note[@type="noteAboutReproduction"]
Page Present Comment	string	Best copy available	To record any additional known information indicated in film.	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="pageModsBib1"]/mets:mdWrap/mets:xmlData/mods:mods/mods:note[@type="noteAboutReproduction"]/@displayLabel
<b>Reel Information</b>						
Reel Number	string	375892205698	Reel number to correspond with LC barcode supplied for all	NR	MA	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="pageMods

			duplicate microfilm reels deposited with LC. --Not mandatory if page is missing (even if page is represented by a target).			<p>Bib1"]/mets:mdWrap/mets:xmlData/mods:mods/mods:relatedItem[@type="original"]/mods:identifier[@type="reel number"]</p> <p>mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:dmdSec[@ID="techTargetModsBib"]/mets:mdWrap/mets:xmlData/mods:mods/mods:relatedItem/mods:identifier[@type="reel number"]</p> <p>Xml:xml[@TYPE="urn:library-of-congress:ndnp:batch"]/reel:reelnumber</p> <p>TIFF: Document Name</p> <p>PDF: rdf:Description/dc:identifier/rdf:Alt/rdf:li</p> <p>JPEG2000: rdf:Description/dc:identifier/ rdf:Alt/rdf:li</p>
Reel Sequence Number	positive integer	1	This orders the records <b>within a reel</b> . Indicate position of the image within the microfilm reel sequence.	NR	MA	<p>mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:newspaper:issue"]/mets:dmdSec[@ID="pageModsBib1"]/mets:mdWrap/mets:xmlData/mods:mods/mods:relatedItem[@type="original"]/mods:identifier[@type="reel sequence number"]</p> <p>mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]</p>

						<p>/mets:dmdSec[@ID="techTargetModsBib"]/mets:mdWrap/mets:xmlData/mods:mods/mods:relatedItem/mods:identifier[@type="reel sequence number"]</p> <p>TIFF: ImageUniqueID</p> <p>PDF: rdf:Description/dc:identifier/rdf:Alt/rdf:li</p> <p>JPEG2000: rdf:Description/dc:identifier/rdf:Alt/rdf:li</p>
Object Format	string	Microfilm	Valid value (currently): Microfilm	NR	M	<p>mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:dmdSec[@ID="targetModsBib"]/mets:mdWrap/mets:xmlData/mods:mods/mods:relatedItem/mods:physicalDescription</p> <p>TIFF: FileSource</p>
Tech Target Label	string	Preservation Microfilm Scanner Target PMT1	Valid value (currently): Preservation Microfilm Scanner Target PMT1	NR	M	<p>mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:dmdSec[@ID="techTargetModsBib"]/mets:mdWrap/mets:xmlData/mods:mods/mods:titleInfo/mods:title</p>
Titles (on Reel)	string	Multiple examples: National forum (Washington, D.C.)	Combine MARC 245\$a and 260\$a or MARC 130\$a. (Use of the MARC 130	NR	O	<p>mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:titles</p>

		The Weekly Roundabout (Frankfort, KY)	field is permitted only if the field is present and well-formed.) Use title that corresponds to the folder in which the reel XML file resides. Make note of multiple titles in “comments” element (below).			
Start Date	date	1881-11-22	Use this particular ISO 8601 style: YYYY-MM-DD.	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:startDate
End Date	date	1881-11-16	Use this particular ISO 8601 style: YYYY-MM-DD.	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:endDate
Position	string	2a	1a, 2a, 1b, 2b	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:position  TIFF: Orientation
Reduction Ratio	string	20x	If stated, transcribe. If not stated, estimate.	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:reduction

						Ratio
Capture Resolution Original	string	300	Resolution relative to original material, measured in pixels/inch (or mm.).	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:captureResolutionOriginal
Capture Resolution Film	string	6000	Resolution relative to microfilm, measured in pixels/inch (or mm.). Capture Resolution Film = Reduction Ratio x Capture Resolution_Original.	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:captureResolutionFilm
Guide To Contents Present Flag	boolean	true	Valid values are "true" for present; "false" for missing.	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:guideToContentsPresentFlag
Guide To Contents String	string	Title established April 30...	If present, transcribe text from Guide to Contents, as it appears on film	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:guideToContentsString
Date Microfilm Created	string	1986	Date of microfilm creation	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:dateMicrofilmCreated

Loose Leaves Flag	boolean	false	For original material; Valid values: true, false	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:looseLeavesFlag
Bound Volume Flag	boolean	true	For original material; Valid values: true, false	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:boundVolumeFlag
Comments	string		Any general comments regarding the reel, duplication process, or content, etc. If listing multiple titles on the reel, include associated LCCNs and date spans of each title.	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:comments
Dimensions	string	17x23 in.	From original materials, if possible, or from N.W. Ayer & Son. N.W. Ayer & Son's American Newspaper Annual. Philadelphia : N.W. Ayer and Son, 1880-1909, or other sources.	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:dimensions
Pages Per Issue	positive integer	4	Estimate from microfilm, or from N.W. Ayer & Son. N.W. Ayer & Son's American Newspaper Annual.	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:pagesPe



			Philadelphia : N.W. Ayer and Son, 1880-1909, or other sources. See <a href="http://www.loc.gov/rr/news/news_research_tools/ayersdirectory.html">http://www.loc.gov/rr/news/news_research_tools/ayersdirectory.html</a>			rIssue
Number Of Resolution Targets	positive integer	2	Refers to microfilming resolution targets.	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:numberOfResolutionTargets
Resolution Of Master	floating point number	7.1	Resolution of original camera master microfilm. Record actual number from line-pair resolution test pattern on film, if available.	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:resolutionOfMaster
Resolution Of Master: Comments	string		Any comments relating to the resolution of the camera master microfilm	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:resolutionCommentMaster
Density Reading Master	floating point number	0.91	Ten readings per reel.	R	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:densityReadingMaster
Average Density	floating	0.95	The average density of	NR	O	mets:mets[@TYPE="urn:library-of-

Master	point number		the camera master microfilm			congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:averageDensityMaster
Dmin Master	floating point number	0.2	The minimum density point on the camera master microfilm	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:dminMaster
Resolution Of Duplicate Negative	floating point number	6.3	Resolution of the duplicate negative used for digitization. Record actual number from line-pair resolution test pattern on film, if available.	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:resolutionOfDuplicateNegative
Resolution Of Duplicate Negative: Comments	string	Weak 7.1	Any comments relating to the resolution of the duplicate negative used for digitization	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:resolutionCommentDuplicateNegative
Density Reading Duplicate Negative	floating point number	1.14	Ten readings per reel.	R	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelTechMD"]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:densityReadingDuplicateNegative
Average Density Duplicate Negative	floating point number	1.1	The average density of duplicate master negative used for	NR	O	mets:mets[@TYPE="urn:library-of-congress:ndnp:mets:microfilmReel"]/mets:amdSec/techMD[@ID="reelT

			digitization			echMD”]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:averageDensityDuplicateNegative
Dmin Duplicate Negative	floating point number	0.15	The minimum density point on the duplicate negative used for digitization	NR	O	mets:mets[@TYPE=“urn:library-of-congress:ndnp:mets:microfilmReel”]/mets:amdSec/techMD[@ID=“reelTechMD”]/mets:mdWrap/mets:xmlData/ndnp:reelTechMD/ndnp:dminDuplicateNegative